1/21537/2017

DELHI STATE CANCER INSTITUTES



- centres par excellence in the service of humanity (A group of autonomous institutions under the Govt. of NCT of Delhi) EAST: DILSHAD GARDEN, DELHI 110095

EPABX: +91-11-2213 5200, 2213 5700 FAX: +91-11-2211 0505 WEST: C-2/B, JANAK PURI, NEW DELHI 110058 EPABX: +91-11-2550 1111, 2554 1111 FAX: +91-11-2554 9999

Website: www.dsci.nic.in E-mail: dsci.deihi@yahoo.co.in



No. I011/80/2016-DIR(DSCI)

Dated:

To

The Director (DHS), Directorate of Health Services, Govt. of NCT Delhi F-17, Karkardooma, Shahdara, Delhi-110032

Sub: Half Yearly report in r/o for BMW Management

Sir,

I am directed to forward herewith Half Report in r/o BMW Management of this Institute for the Period from July 2016 to Dec 2016 for further necessary action at your end. However, a daily report in r/o BMW Management is not being sent on regular basis through on line because "Daily Census" is not found available on the website.

Yours faithfully,

(Anita Nakra) Asstt Director (N) / Hospital Coordinator

Encl: As above

No. 1011/80/2016-DIR(DSCI)


Dated:

Copy to:-

1. PA to Director

wes upload

Asstt Director (N) / Hospital Coordinator



Annexure A

Half Information Required for BMW Management

Nome of the LL					
Indine of the Hospitals					
Name of the Hospitals No. of authorized/sanctioned Beds	DELHI STATE CANCER INSTITUTE s 105 Beds Dr R K GROVER, DIRECTOR				
Name of the Occupier					
(MS/Director)					
Phone no., Fax, Email	22110505 docidalhia				
Whether authorization form Delhi Pollution Control Committee obtained?	22110505, dsci.delhi@yahoo.co.in Under Process				
Validity					
available?	/ No				
7A. If yes, write-					
7B. If No, How the BMW is	As per Guidelines of CPCB				
treated?	Paradimos di OFOD				
/c. Whether Tie up with CBWTF	Yes				
	Yes.				
Management Committee Formato					
Whether Biomedical waste	Yes				
Management Designated?	ies i				
9A. If yes, Give Name of the Members	Director - Dr R K Grover				
	Asstt. Director (N) - Dr Anita Nakra (Nodal Officer)				
	Asstt Professor in Onco-Pathology - Dr Dhruv Jain				
	Asstt Professor in Onco Surgery- Dr Vinita K Jaggi				
	Asstt Professor in Radiology - Dr Pankaj Sharma				
	Asstt Professor/Clinical Country D. D.				
	Asstt Professor(Clinical Oncology)-Dr Pragya Shukla				
	Sr Resident in Microbiology - Dr Stuti Gupta				
	Chief Pharmacy Executive- Mr P K Jaggi				
	E xecutive Engineer – Mr Kulvir Singh				
	Purchase Officer- Mr Rajiv Kumar				
9B Date of last Mastin	Sr. Nursing Officer – Ms Jyoti Joshi				
Whether Colour Coded	Once in a Month				
	Yes				
10A. If yes –what coloured?	Red, Yellow and Black				
Whether Colour Coded	Yes				
Available?					
	As mentioned above under 10 A				
Whether Using Biohazard and	Yes				
1	Missimilar (MS/Director) Phone no., Fax, Email Whether authorization form Delhi Pollution Control Committee obtained? If Yes, No. date of Issue and validity Whether in house treatment facility available? 7A. If yes, write- 7B. If No, How the BMW is treated? 7c. Whether Tie up with CBWTF Operator Whether Nodal Officer for BMW Management Committee Formed? Whether Biomedical waste Management Designated? 9A. If yes, Give Name of the Members 9B. Date of last Meeting Whether Colour Coded Segregation Containers Available? 10A. If yes—what coloured? Whether Colour Coded Segregation Liners/ Bags Available? 11 A. If yes, What Colours?				

-	Cytotoxic Symbols				
	13 Whether Packaging & Labeling practiced	Yes			
-	14 Whether Puncture proof sharps containers Available?	Yes			
	15 Is there any Provision of Internal storage?				
	16 Whether there are any Use of Wheel barrows/trolleys?				
	Washing Facilities for containers'				
1	containers are washed? 8 Is there any Centralized storage				
	site?	Yes			
1	18 a. Is there any provision of loci and Key for BMW storage?	k Yes			
	Available?	Yes A CAP INCTITUTE			
21	Whether the hand hygine is practiced in the hospital	Yes			
	20 a. If Yes, How is it monitored	By daily surveillance			
21	Protocol Yes				
22	Management of Mercury waste, Heavy Metals	Not using mercury based or any other Heavy Metals			
23	Whether Records are maintained properly?	Yes			
	23 A. If yes, whether verified by the Chairman/Nodal Officer	Yes			
24	Whether there is daily supervision?	Yes			
-	24.A If Yes, whether the records are maintained	Yes			
25	Is there any Provision of Separate Waste weighing Machine	Yes			
20	25.A If Yes, whether daily record of weight maintained	Yes			
26	Whether there is any Injury Register?	/es			
	26.A If Yes, whether there is needle stick injury protocol	Yes			
7	Is there any Separate Budget Head for BMW?	No			
8	Whether SOPs/Guidelines Yes available?				
9	Is there any Provision of Training/ Retaining in BMW Management?	Yes			

	29.A. If Yes, the no. of personnel trained	Doctors = 15 Nurses = 72 Technicians = 46 Gr. IV Employees = 102 Any other					
30	Is there any IEC/ Community awareness?	Yes					
31	Whether Waste Audit carried out?	Yes					
	31A. If Yes, whether the audit report submitted to the head of the Institution	Yes					
32	Whether Monthly reports submitted to DHS?	Yes					
33	Whether Quarterly reports submitted to DHS?	Yes					
34	Whether annual reports submitted to DPCC?	Under Process					
35	Whether Regular inspections carried out?	Yes					
36	Whether Consent obtained under air and water ACT?	Under Process					
37	Whether Acoustic enclosures for generator sets present?	Yes					
38	Whether effluent treatment plant (ETP) installed in the Hospital	Combined with G.T.B. Hospital					
39	If Yes, attach copy of laboratory Report authorized by DPCC	As above					
40	Whether Personal Protective equipment (PPE) used by BMW staff	Yes	34.8	III			
41	Whether the staff posted at BMW is medically examined.	Yes					
	41A. If Yes, how frequently	Annual and SOS					
	41 B. Whether immunized against Tetanus and Hepatitis B	Yes					
42	Quantum of waste generated	T	JULY-16	AUGUST-16	SEPTEMBER-16		
	Incinerable		555 Kg	465 Kg	720 Kg		
	Autoclavable / Microwavable		1019 Kg	775 Kg	1333 Kg		
	Sharps		775 Kg	50 Kg	687 Kg		
	TOTAL		2350 Kg	1290 Kg	2740 Kg		
43	Quantum of waste generated		OCT-16	NOV-16	DEC-16		
	Incinerable		1043 Kg	259 Kg	475 Kg		
	Autoclavable / Microwavable		1906 Kg	1778 Kg	1757 Kg		
	Sharps		687 Kg	635 Kg	659 Kg		
	TOTAL		3636 Kg	2672 Kg	2891 Kg		

(Prof. RK GROVER) Director & CEO DSCI (ANITA NAKRA) Asstt. Director (N) Nodal Officer - BMW

May please mank copy to clcb also

CANCER INSTITUTE

24/1/12

Signature Not Verified

Digitally signed by NAKRA ANITA

Date: 2017.01.24 2:03:44 IST

Reason: Approved