



DELHI STATE CANCER INSTITUTES

- centres par excellence in the service of humanity
(A group of autonomous institutions under the Govt. of NCT of Delhi)

EAST: DILSHAD GARDEN, DELHI 110095

EPABX: +91-11-2213 5200, 2213 5700 FAX: +91-11-2211 0505

WEST: C-2/B, JANAK PURI, NEW DELHI 110058

EPABX: +91-11-2550 1111, 2554 1111 FAX: +91-11-2554 9999

Website: www.dsci.nic.in E-mail: director.dsci@nic.in NIN No: 1112313380



DSCI-H012(12)/1/2022-Engg(Civil)/58

Date: 06/01/2022

E-NOTICE INVITING QUOTATION

The Executive Engineer(C) invites e-quotation on behalf of the Director, DSCI, only from specialized agencies who have executed similar type of Medical/oxygen gas pipe line work of one work of amount not less than Rs.1,13,840/- or two works of Rs.85,300/- each or three works of Rs.56,920/- each in last 07 years as on 31/12/2021, which shall be received by E-tendering up to 2:00 P.M on 12/01/2022 the following work.

E-NIQ No.	DSCI-H012(12)/1/2022-Engg(Civil)
Name of work	Providing Medical Gas Pipe Line from PSA to Manifold plant at Delhi State Cancer Institute (East) Dilshad Garden, Delhi
Estimated Cost	Rs. 1,42,300/- + GST
Earnest Money	Rs.3000/-
Time allowed	05 days
Last Date & Time for online Downloading & submission of e-quotation	12/01/2022 upto 02:00 P.M
Date & time of opening of financial bid	12/01/2022 at 03:00 P.M

Terms & Conditions:-

1. Deptt reserves the right to reject the quotation without assigning any reasons.
2. No T & P will be issued to the contractor
3. Necessary recoveries shall be made from contractor as per statutory norms.
4. Contractor has to carry out the work as per programme given by Engineer In charge.
5. Contractor shall be responsible for watch and ward of materials.
6. Rates are exclusive of GST. The GST shall be paid as per the bills submitted by the agency to the department after submission of necessary GST return/challan and GST tax paid invoice to Engineer In charge.
7. Intending e-quotationer will have to upload the Qualification/eligibility, bid containing the following documents.
 - (a) Duly signed copy of GST Registration certificate.
 - (b) Duly signed copy of latest GST return of the bidder.
 - (c) Duly signed copy of completion certificate showing completed work done amount in last 07 years as on 31/12/2021.

- (d) Duly signed copy of PAN card.
- (e) Scanned copy of earnest money.
- (f) Dated undertaking in favour of Executive Engineer (C) mentioning E-NIQ no., Name of work stating that "The Physical EMD shall be deposited by me/us with the EE calling the E-NIQ in case I/We become the lowest quotationer within a week of the opening of financial bid otherwise department will reject the tender and also take action as per provision."

The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest quotationer within 03 days after opening of financial bid failing which the tender shall be rejected and necessary action as per provision will be taken against the agency.

- 8. Work has to be carried out as per CPWD specification and direction of Engineer in charge.
- 9. EMD will be released after six months on satisfactorily completion of the work.
- 10. No manual quotation shall be accepted, only quotation submitted through E-procurement portal shall be considered.
- 11. The E-NIQ documents are available on Delhi Government E-procurement website <https://govtprocurement.delhi.gov.in>



Executive Engineer (C)

DSCI
Executive Engineer (C)
Delhi State Cancer Institute
Dilshad Garden, Delhi

1074849/2022/Engineering(Civil)-DSCI

Name of Work:- Providing Medical Gas Pipe Line ^{from} PSA to Manifold plant at Delhi State Cancer Institute (East) Dilshad Garden, Delhi

Item No	Description of item	QTY	UNIT	RATE/UNIT	Amount
1	Supply, installation, testing and commissioning of Medical Graded Copper Pipe Copper pipe as per EN13348 Standard compliances with BSI Kitemark/HTM-2022 UK standard of equivalent standard with Llyod Certificates as per direction of Engineer-in-charge				
1.1	28MM x 1.0MM	120.00	meter		
2	Supply, installation, testing and commissioning of Medical Gas Alarm Imported Area Medical Gas Area Alarm (Oxygen/N2O/MA4/Air/SA7/Vacuum)- it should fully complies and meets with the requirements of the UK DOH health Technical Memorandum 02-01 (HTM 02-01) standards. It shall be provided with a copy of the certificate of origin as per direction of Engineer-in-charge	1.00	nos		
3	Supply, installation, testing and commissioning of Line Valves it should fully complies and meets with the requirements of the UK DOH Health Technical Memorandum 02-01 (HTm 02-01) standards. It shall be CE Marked with the notified body number 0088 specified. It shall be provided with a copy of the certificate of origin as per direction of Engineer-in-charge				
3.1	Line Valve - 12 mm, body: brass, Ball : stainless steel.	1.00	nos		
3.1	Line Valve - 28 mm, body: brass, Ball : stainless steel.	2.00	nos		
Total					


Executive Engineer (C)

DSCI
Executive Engineer (C)
Delhi State Cancer Institute
Dilshad Garden, Delhi